



### Usage instructions:

1. Launch the product via 1-click. **Please wait until** the instance passes **all** status checks and is running. You can connect using your Amazon private key and '**ubuntu**' login via your SSH client.

To update software, use: **sudo apt-get update**

2. The server has been setup for automatic startup. Once the instance is fully running you can access the Superset Web Interface:

In a web browser go to **your instance's public IPv4 address:8088**

- For ex: <http://23.365.32:8088>

A screenshot of the Superset web interface's sign-in page. The page has a white background with a light gray border. At the top, it says "Sign In" in a small font. Below that, it says "Enter your login and password below:". There are two input fields: "USERNAME:" with a person icon and "PASSWORD:" with a key icon. A blue "SIGN IN" button is at the bottom.

### 3. Login Credentials:

USERNAME: **admin**  
PASSWORD: **Cc007!!!**

4. To create your first dashboard see:

<https://superset.apache.org/docs/creating-charts-dashboards/creating-your-first-dashboard/>

## Additional Info:

### Changing the Admin Password

In the GUI, go to “**settings**” > “**Info**” > **Reset Password**

ashboards Charts Datasets SQL ▾

Your user information

User info ▾

User Name	admin
Is Active?	True
Role	[Admin]
Login count	2

Personal Info ▾

First Name	admin
Last Name	user
Email	admin@fab.org

[🔒 RESET MY PASSWORD](#) [✎ EDIT USER](#) ←

## To Restart Superset:

Navigate to the Superset Directory:

```
cd /app/superset
```

Activate the Environment:

```
source superset_env/bin/activate
```

Run the commands to Stop, Start or find status.

```
sudo systemctl stop superset.service
```

```
sudo systemctl start superset.service
```

```
sudo systemctl status superset.service
```

## **AWS Data**

- Data Encryption Configuration: This solution does not encrypt data within the running instance.
- User Credentials are stored: `/root/.ssh/authorized_keys` & `/home/ubuntu/.ssh/authorized_keys`
- Monitor the health:
  - Navigate to your Amazon EC2 console and verify that you're in the correct region.
  - Choose Instance and select your launched instance.
  - Select the server to display your metadata page and choose the Status checks tab at the bottom of the page to review if your status checks passed or failed.

## **Extra Information: (Optional)**

### **Allocate Elastic IP**

To ensure that your instance **keeps its IP during restarts** that might happen, configure an Elastic IP. From the EC2 console:

1. Select ELASTIC IPs.
2. Click on the ALLOCATE ELASTIC IP ADDRESS.
3. Select the default (Amazon pool of IPv4 addresses) and click on ALLOCATE.
4. From the ACTIONS pull down, select ASSOCIATE ELASTIC IP ADDRESS.
5. In the box that comes up, note down the Elastic IP Address, which will be needed when you configure your DNS.
6. In the search box under INSTANCE, click and find your INSTANCE ID and then click ASSOCIATE.
7. Your instance now has an elastic IP associated with it.
8. For additional help: <https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/elastic-ip-addresses-eip.html>